

# Huntingdonshire

district council

## Risk Assessment for Local Air Pollution Control Score Sheet

Name of authorised process Burgess & Walker PG Note 1/1(04)  
 Name of operator Terry Avery LA Reference 1/92  
 Inspector's Name Aaron Morley Date 14/01/05

### Environmental Impact Appraisal

Component 1 - Inherent Environmental Impact Potential		
APRR Risk Rating Category	Possible Scores	Score Awarded
(A) Category 1	10	10
(B) Category 2	20	
(C) Category 3	30	

Component 2 - Progress with Upgrading		
Status of Upgrading	Possible Scores	Score Awarded
(A) Upgrading not complete but PG Note deadline has yet to be reached	5	
(B) Upgrading not yet complete and PG Note deadline has passed	10	
(C) Upgrading complete and meets BATNEEC Requirements	0	0
(D) Emissions control exceeds BATNEEC Requirements	-10	

Component 3 - Sensitivity and Proximity of Receptors (circle appropriate score)			
Proximity to Emission Source	Sensitivity of Receptors		
	(x) High	(y) Medium	(z) Low
(A) < 100m*	20	<input checked="" type="checkbox"/>	5
(B) 100 - 250m*	12	10	3
(C) 250 - 500m*	5	3	1
(D) >500m*	0	0	0
* All distances should be multiplied by a factor of 2 for mineral and cement & lime processes and by a factor of 4 for combustion, incineration (not cremation), iron & steel and non-ferrous metal processes. Note: Distances should be measured from the process itself, rather than the site boundary.			

Component 4 - Other Targets		
	Possible Scores	Score Awarded
(A) Other air pollution problems in the local area to which process is a potential contributor	10	
(B) No such air pollution problems	0	0

Total Score for Environmental Impact Appraisal	Range 0 to 70	22
--	---------------	----

## Operator Performance Appraisal

Component 5 - Compliance Assessment				
Scale of Non-Compliance	Possible Scores			Scores Awarded
(A) Incident leading to justified complaint but no breach of specific authorisation condition or of general/residual BATNEEC condition	0 points			0
(B) Incident leading to a justified complaint*	5 per incident			
(C) Breach of authorisation not leading to formal action	10 per incident			
(D) Incident leading to formal caution, Enforcement Notice or prosecution	15 per incident			
(E) Incident leading to a Prohibition Notice	20 per incident			
<b>Total</b>	<b>(Max. 50)</b>			<b>0</b>
* <i>Unjustified complaints may be e.g. those considered by the inspector to be unreasonable or which cannot be clearly linked to an incident at the process.</i>				
Scoring for Component 6 - Assessment of Monitoring, Maintenance and Records				
Criterion	Possible Scores			Score Awarded
	(x) Yes	(y) No	(z) N/A	
(A) All monitoring undertaken to the degree required in the authorisation?	<input type="checkbox"/>	10	0	0
(B) Monitoring requirements reduced because results over time show consistent compliance?	-5	0	<input type="checkbox"/>	0
(C) Process operation modified where any problems indicated by monitoring?	<input type="checkbox"/>	5	0	0
(D) Fully documented and adhered to maintenance programme, in line with authorisation?	<input type="checkbox"/>	5	0	0
(E) Full documented records as required in authorisation available on-site?	<input type="checkbox"/>	5	0	0
(F) All relevant documents forwarded to the authority by date required?	0	5	<input type="checkbox"/>	0
<b>Total score</b>	<b>(-5 to 30)</b>			<b>0</b>
Component 7 - Assessment of Management, Training and Responsibility				
Criterion	Possible Scores			Scores Awarded
	(x) Yes	(y) No	(z) N/A	
(A) Documented procedures in place for implementing all aspects of the authorisation?	<input type="checkbox"/>	5	0	0
(B) Specific responsibilities assigned to individual staff for these procedures?	<input type="checkbox"/>	5	0	0
(C) Completion of individual responsibilities checked and recorded by the company?	0	5	<input type="checkbox"/>	0
(D) Documented training records for all staff with air pollution control responsibilities?	0	5	<input type="checkbox"/>	0
(E) Trained staff on site throughout periods where potentially air-polluting activities take place?	<input type="checkbox"/>	5	0	0
(F) Is an 'appropriate' environmental management system in place?	-5	0	<input type="checkbox"/>	0
<b>Total</b>	<b>(-5 to 25)</b>			<b>0</b>
<b>Total Score for Operator Performance Appraisal</b>	<b>Range -10 to 105</b>			<b>0</b>
<b>OVERALL SCORE FOR THE PROECSS</b>	<b>Range -10 to 175</b>			<b>22</b>
<b>REGULATORY EFFORT CATEGORY</b> * high=score of >80, medium 40-80 and low <40	<b>LOW, MED, HIGH</b>			<b>LOW</b>