

EP Permit ref: P05/98

Variation ref: PPC 21/13

## Variation Notice

From: Huntingdonshire District

Council ("the Council")

To: <sup>(1)</sup>

BP Oil UK Limited  
Chertsey Road,  
Sunbury On Thames,  
Middlesex,  
TW16 7BP

Huntingdonshire District

Council ("the Council"), in the exercise of the powers conferred upon it by regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010) <sup>(2)</sup> ('the 2010 Regulations') hereby gives you notice as follows-

The Council has decided to vary the conditions of permit reference P05/98 granted under regulation 13(1) of the 2010 Regulations in respect of the operation of the installation/~~mobile plant~~ at

Brampton Hut  
A1 A14  
Great North Road  
Brampton  
Huntingdon  
PE28 4NQ

The variation of the conditions of the permit and the date[s] on which they are to take effect are specified in [Schedule 1] to this notice. [A consolidated permit as varied by this notice ~~and by~~ variation notices ref is set out in Schedule 2].]

~~[You are hereby required to pay by no later than the sum of £~~  
~~the fee prescribed in respect of a variation notice in the relevant charging scheme made under~~  
~~regulation 65 of the 2010 Regulations [and/or section 41 of the Environment Act 1995 for LA-IPPC~~  
~~only where there are separate charges in relation to water discharges<sup>(3)</sup>].~~

Signed on behalf of Huntingdonshire District

Council

Dated 13 January 2014

Signed



Designation Head of Environmental and Community Health Services

An authorised officer of the Council

(1) The operator at the address shown on permit / application

(2) SI 2010/675, as amended

(3) 1995 c.25.

*Delete words in square brackets which do not apply.*

EP Permit ref: P05/98

Variation ref: PPC 21/13

### Schedule 1

Variation to the conditions of the permit	Date(s) on which the variation is to take place
Vary all permit conditions to comply with latest process guidance note.	10 January 2014

Signed on behalf of Huntingdonshire District

Council

Dated 13 January 2014

Signed



Designation Head of Environmental and Community Health Services

An authorised officer of the Council

EP Permit ref: P05/98  
Variation ref: PPC 21/13

## Schedule 2

Permit reference P05/98  
~~variation notices~~

as varied by this notice ~~and~~

[and

]

(Insert amended or full consolidated permit).

## PERMIT

### Pollution Prevention and Control Act 1999

### Environmental Permitting (England and Wales) Regulations 2010 as amended

**Permit Reference:** P05/98  
**As varied by:** PPC22/08 & PPC34/11

Huntingdonshire District Council (the regulator) hereby permits BP Oil UK Limited Chertsey Road, Sunbury On Thames, Middlesex, TW16 7BP to unload petrol in stationary storage tanks and motor vehicles at a service station as defined in Part 2 of Schedule 1 to the EP Regulations Section 1.2 Part B(c) and (e), and as described below in accordance with the following conditions which shall apply forthwith.

Address of permitted activity: Brampton Hut  
A1 A14  
Great North Road  
Brampton  
Huntingdon  
PE28 4NQ

Location plan can be seen on P05/98 (a) Location plan

### Description of Activity

The above named company is permitted to operate an installation unloading of petrol into stationary tanks and filling of vehicle petrol tanks at the service station above subject to compliance with the following conditions. The installation has eight petrol storage tanks which three are used for the storage of petrol. The installation operates both Stage I and Stage II vapour recovery systems.

### Conditions

#### Petrol Delivery

1. Vapours displaced by the delivery of petrol into storage tanks shall be returned through a vapour-tight connection line to either the mobile container delivering the petrol or a container on the site.
2. Petrol delivery shall only be carried out using the Stage I petrol vapour recovery system and deliveries shall only be made when the system is fully operational.

### **Motor Vehicle Refuelling**

3. Motor vehicle refuelling with petrol shall only take place when the Stage II petrol vapour recovery system is fully operational and operating in accordance with the requirements of Condition 4.
4. The petrol vapour capture efficiency of the Stage II petrol vapour recovery system shall be equal to or greater than 85% but less than 115% as certified by the manufacturer in accordance with relevant European technical standards or type approval procedures.
5. Where the recovered petrol vapour is transferred to a storage tank, the vapour/petrol ratio shall be equal to or greater than 0.95 but less than or equal to 1.05.
6. Where an automatic monitoring system has been installed, the petrol vapour capture efficiency shall be tested and the results recorded at least once every three years by checking that the vapour/petrol ratio under simulated petrol flow conditions, or by any other appropriate methodology. Any such automatic monitoring system shall automatically detect faults in the proper functioning of the Stage II petrol vapour recovery system and in the automatic monitoring system itself, indicate faults to the operator and automatically stop the flow of petrol from any faulty dispenser if the fault is not rectified within seven days.
7. Where automatic monitoring systems have not been installed the in-service petrol vapour capture efficiency of the Stage II petrol vapour recovery systems shall be tested the results recorded at least once a year by checking that the vapour/petrol ratio under simulated petrol flow conditions, or by any other appropriate methodology.
8. Where automatic monitoring systems have not been installed a weekly functionality check shall be undertaken to verify the operation of the vapour recovery system.
9. A sign, sticker or other notification shall be displayed on, or in the vicinity of, the petrol dispenser, informing consumers that a Stage II petrol vapour recovery system is in use.

### **Incident Reporting**

10. In the event of any incident at the site which could have an impact beyond the site boundary the operator shall notify the Environmental Protection Team at Huntingdonshire District Council by telephone without delay on 01480 388388.

### **Management**

11. A copy of this permit shall be kept at the permitted installation. All staff who should be aware of its content shall be told where it is kept.
12. All relevant staff shall receive the necessary training and instruction to enable them to comply with the conditions of this permit.


13. The operator shall notify the Council of any changes to the persons nominated in the application as the primary point of contact, and deputy.
14. Maintenance and testing of vapour recovery systems shall be recorded.
15. All records made in compliance with this permit shall be kept in written or computer log book or by using some other systematic method, and shall be clear and legible. If any entry is amended, a clear statement of the reason for doing so shall be included. Unless otherwise stated in this permit, all records required to be taken shall be kept available for inspection for at least 4 years from the date of its being made. A copy of the manufacturer's instructions referred to in this permit shall be available for inspection on request.

### **Best Available Techniques**

16. The best available techniques shall be used to prevent or, where that is not practicable, reduce emissions from the installation in relation to any aspect of the operation of the installation which is not regulated by any other condition of this permit.

### **Process Changes**

17. If the operator proposes to make changes in operation of the installation, he must, at least 14 days before making the change, notify the regulator in writing. The notification must contain a description of the proposed change in operation. It is not necessary to make such a notification if an application to vary this permit has been made and the application contains a description of the proposed change. In this condition 'change in operation' means a change in the nature or functioning, or an extension, of the installation, which may have consequences for the environment.

Signed: 

Head of Environmental and Community Health Services

Date: 13 January 2014

## **GENERAL NOTES**

### **1 Variation**

The regulator will ensure that the permit remains up to date in line with the requirements set out in Regulation 20(1). This may involve issuing a Variation Notice following amendment to the Secretary of State's Guidance Notes or following receipt of any direction from the Secretary of State.

### **2 Review of Conditions**

The regulator may at any time undertake a review of the conditions in this permit under Regulation 34(1). Where significant pollution is encountered or where there are changes in BAT or where the operational safety of the activity requires other techniques to be used an immediate review shall be undertaken.

### **3 Appeal**

The permitted operator can appeal in writing to the Secretary of State against the items listed in Regulation 31.

Appeals shall be addressed to:

The Planning Inspectorate  
Environment Team, Major & Specialist Casework  
Room 4/04 Kite Wing  
Temple Quay House  
2 The Square  
Temple Quay  
Bristol, BS1 6PN

### **4 Transfer of Permit**

The permitted operator who wishes to transfer the whole or part of the permit to a person who proposes to carry out the activity in the holder's place may do so in accordance with Regulation 21. Both the operator and the proposed transferee shall jointly make an application to the regulator to effect the transfer. An application shall include the permit and any fee prescribed in respect of the transfer under Regulation 19 and shall contain the operator's and the proposed transferee's contact details.

### **5 Variation of Conditions of Permits**

Under Regulation 20, the operator may apply to the regulator to vary the conditions contained within the permit. Such application shall be made in accordance with Part 1 of Schedule 5 and shall be accompanied by any fee prescribed in respect of the application under Regulation 19; and paragraphs 8 of Part 1 of Schedule 5 and paragraphs 5(3) and (4) of schedule 5 shall have effect with respect to such applications.

### **6 Other Legal Requirements**


This permit is issued solely for the purpose of the Pollution Prevention and Control Act and its associated Regulations and the operator must ensure that he complies with all other statutory requirements.

### **7 Annual Subsistence Charge**

The Secretary of State has drawn up a charging scheme under Regulation 19. Under this scheme Local Authorities are required to levy an annual subsistence charge related to the permit. The Local Authority will invoice for the amount due which is subject to annual review by the Department of the Environment Food and Rural Affairs.



P05/98 (a) Location plan





## Guidance for operators receiving a Variation Notice

(This guidance does not form part of the Variation Notice, but it is for the guidance of those served with the notice.) Further guidance can be found in the PPC General Guidance Manual, available at <http://www.defra.gov.uk/environment/quality/industrial/las-regulations/guidance/>.

### Dealing with a Variation Notice

This notice varies the terms of the permit specified in the Notice by amending or deleting certain existing conditions and/or adding new conditions. The Schedules attached to the notice explain which conditions have been amended, added or deleted and the dates on which these have effect.

The Council may have included a 'consolidated permit', which takes into account these and previous variations. Where a consolidated permit is not included this variation notice must be read in conjunction with your permit document.

### Offences

Failure to comply with a Variation Notice is an offence under regulation 38(2) of the 2010 Regulations. A person guilty of an offence under this regulation could be liable to (i) a fine of up to £50,000 or imprisonment for a term not exceeding 6 months or both; or (ii) to an unlimited fine or imprisonment for a term not exceeding 5 years or both, depending on whether the matter is dealt with in the Magistrates or Crown Court.

### Appeals

Under regulation 31 and Schedule 6 of the 2010 Regulations operators have the right of appeal against the conditions attached to their permit by a variation notice. The right to appeal does not apply in circumstances where the notice implements a direction of the Secretary of State/Welsh Ministers given under regulations 61 or 62 or a direction when determining an appeal.

Appeals against a Variation Notice do not have the effect of suspending the operation of the Notice. Appeals do not have the effect of suspending permit conditions, or any of the mentioned notices.

Notice of appeal against a Variation Notice must be given within **two months** of the date of the variation notification, which is the subject matter of the appeal. The Secretary of State/Welsh Ministers may in a particular case allow notice of appeal to be given after the expiry of this period, but would only do so in the most compelling circumstances.

### How to appeal

There are no forms or charges for appealing. However, for an appeal to be valid, appellants (the person/operator making the appeal) are legally required to provide the Secretary of State or Welsh Minister with the following (see paragraphs 2(1) and (2) of Schedule 6 of the 2010 Regulations):

- written notice of the appeal
- a statement of the grounds of appeal;
- a copy of any relevant application;
- a copy of any relevant environmental permit;
- a copy of any relevant correspondence between the appellant and the regulator;
- a copy of any decision or notice which is the subject matter of the appeal; and
- a statement indicating whether the appellant wishes the appeal to be in the form of a hearing or dealt with by way of written representations.

Appellants should state whether any of the information enclosed with the appeal has been the subject of a successful application for confidentiality under regulation 48 of the 2010 Regulations, and provide relevant details – see below. Unless such information is provided all documents submitted will be open to inspection.

### Where to send your appeal documents

Appeals should be despatched on the day they are dated, and addressed to:

The Planning Inspectorate  
Environment Team, Major and Specialist Casework  
Room 4/04 Kite Wing  
Temple Quay House  
2 The Square  
Temple Quay  
Bristol BS1 6PN

Or for appeals in Wales:

The Planning Inspectorate  
Crown Buildings  
Cathays Park  
CARDIFF  
CF10 3NQ

If an appeal is made, the main parties will be kept informed about the next steps, and will also normally be provided with additional copies of each other's representations.

To withdraw an appeal – which may be done at any time - the appellant must notify the Planning Inspectorate in writing and copy the notification to the local authority who must in turn notify anyone with an interest in the appeal.

### Costs

The operator and local authority will normally be expected to pay their own expenses during an appeal. Where a hearing or inquiry is held as part of the appeal process, by virtue of paragraph 5(6) of Schedule 6, either the appellant or the authority can apply for costs. Applications for costs are normally heard towards the end of the proceedings and will only be allowed if the party claiming them can show that the other side behaved unreasonably and put them to unnecessary expense. There is no provision for costs to be awarded where appeals are dealt with by written representatives.

### Confidentiality

An operator may request certain information to remain confidential, ie not be placed on the public register. The operator must request the exclusion from the public register of confidential information at the time of supply of the information requested by this notice or any other notice. The operator should provide clear justification for each item wishing to be kept from the register. The onus is on the operator to provide a clear justification for each item to be kept from the register. It will not simply be sufficient to say that the process is a trade secret.

The test of whether information is confidential for the purposes of being withheld from the public register is complex and is explained, together with the procedures, in chapter 8 of the PPC General Guidance Manual.

### National security

Information may be excluded from the public register on the grounds of National Security. If it is considered that the inclusion of information on a public register is contrary to the interests of national security, the operator may apply to the Secretary of State/Welsh Ministers, specifying the information and indicating the apparent nature of risk to national security. The operator must inform the local authority of such an application, who will not include the information on the public register until the Secretary of State/Welsh Ministers has decided the matter.