



Exova Catalyst, Unit 3, Wednesbury One, Black Country New Road, Wednesbury, WS10 7NZ
Your Exova Catalyst Contact: James Eldridge (07826 916 684)
E: james.eldridge@exova.com

Stack Emissions Testing Report Commissioned by
Xaarjet Ltd

Installation Name & Address

Xaarjet Ltd
1 Hurricane Close
Ermine Business Park
Huntingdon
Cambridgeshire
PE29 6XX

PPC Permit: B22/11

Stack Reference


1 - CR1 Room Extract

Dates of the Monitoring Campaign

28th - 30th January 2019

Job Reference Number

CAT-4655

| |
|---|
| Report Written by |
| David Burns Team Leader MCERTS Level 2 MM 05 579 TE1 TE2 TE3 TE4 |
| Report Approved by |
| Michelle Edwards Team Leader MCERTS Level 2 MM 05 659 TE1 TE2 TE3 TE4 |
| Report Date |
| 12th February 2019 |
| Version |
| Version 1 |
| Signature of Report Approver |
|  |

CONTENTS

TITLE PAGE

CONTENTS

EXECUTIVE SUMMARY

| | |
|---------------------------------|---|
| Monitoring Objectives | 3 |
| Monitoring Results | 4 |
| Monitoring Dates & Times | 5 |
| Process Details | 6 |
| Monitoring & Analytical Methods | 7 |
| Summary of Sampling Deviations | 7 |
| Sampling Location | 8 |
| Plant Photos / Sample Points | 9 |

APPENDIX 1 - Monitoring Personnel & List of Equipment

APPENDIX 2 - Raw Data, Sampling Equations & Charts

Opinions and interpretations expressed herein are outside the scope of Exova Catalyst's ISO 17025 accreditation.

This test report shall not be reproduced, except in full, without the written approval of Exova Catalyst.

Executive Summary

(Page 1 of 7)

MONITORING OBJECTIVES

Xaarjet Ltd , Huntingdon

1 - CR1 Room Extract

28th - 30th January 2019

Overall Aim of the Monitoring Campaign

Exova Catalyst were commissioned by Xaarjet Ltd to carry out stack emissions testing on the 1 - CR1 Room Extract at Huntingdon.

The aim of the monitoring campaign was to demonstrate compliance with a set of emission limit values (ELVs) as specified in the Site's Permit.

Special Requirements

There were no special requirements.

Target Parameters

Total VOCs (as Carbon)

Executive Summary

(Page 2 of 7)

MONITORING RESULTS

Xaarjet Ltd , Huntingdon
 1 - CR1 Room Extract
 28th - 30th January 2019

where MU = Measurement Uncertainty associated with the Result

| Parameter | Concentration | | | | Mass Emission | | | |
|-------------------------------|---------------------------------|--------|--------|-------|---------------|--------|--------|-------|
| | Units | Result | MU +/- | Limit | Units | Result | MU +/- | Limit |
| Total VOCs (as Carbon) | ¹ mg/m ³ | 10.7 | 0.52 | 75 | g/hr | 36.2 | 2.7 | - |
| Stack Gas Temperature | °C | 18.6 | | | | | | |
| Stack Gas Velocity | m/s | 8.1 | 0.22 | | | | | |
| Volumetric Flow Rate (ACTUAL) | m ³ /hr | 3671 | 195 | | | | | |
| Volumetric Flow Rate (REF) | ¹ m ³ /hr | 3390 | 180 | | | | | |

NOTE: VOLUMETRIC FLOW RATE & VELOCITY DATA TAKEN FROM THE PRELIMINARY VELOCITY TRAVERSE.

¹ Reference Conditions (REF) are: 273K, 101.3kPa, without correction for water vapour content.

Executive Summary

(Page 3 of 7)

MONITORING DATE(S) & TIMES

Xaarjet Ltd , Huntingdon
 1 - CR1 Room Extract
 28th - 30th January 2019

| Parameter | | Units | Concentration | Units | Mass Emission | Sampling Date(s) | Sampling Times | Duration mins |
|------------------------|----|-------|---------------|-------|---------------|------------------|----------------|---------------|
| Total VOCs (as Carbon) | R1 | mg/m³ | 15.9 | g/hr | 53.7 | 28/01/2019 | 10:45 - 11:15 | 30 |
| Total VOCs (as Carbon) | R2 | mg/m³ | 14.6 | g/hr | 49.4 | 28/01/2019 | 11:16 - 11:46 | 30 |
| Total VOCs (as Carbon) | R3 | mg/m³ | 1.6 | g/hr | 5.5 | 28/01/2019 | 11:47 - 12:17 | 30 |
| Velocity Traverse | R1 | | | | | 28/01/2019 | 10:32 - 10:43 | |

All results are expressed at the respective reference conditions.

Executive Summary
(Page 4 of 7)

PROCESS DETAILS

Xaarjet Ltd , Huntingdon
1 - CR1 Room Extract
28th - 30th January 2019

Standard Operating Conditions

| Parameter | Value |
|--------------------------------------|------------------|
| Process Status | Normal Operation |
| Capacity (of 100%) and Tonnes / Hour | 100% of Capacity |
| Continuous or Batch Process | Continuous |
| Feedstock (if applicable) | N/A |
| Abatement System | N/A |
| Abatement System Running Status | N/A |
| Fuel | N/A |
| Plume Appearance | None Visible |

Executive Summary

(Page 5 of 7)

MONITORING & ANALYTICAL METHODS

Xaarjet Ltd , Huntingdon

1 - CR1 Room Extract

28th - 30th January 2019

| Parameter | Monitoring | | | | Analysis | | | | MCERTS Testing | LOD (Average) |
|---------------------------|------------------|---------------------|-------------------|-------------|---|----------------------|--------------------|--------------|----------------|------------------------|
| | Standard | Technical Procedure | ISO 17025 Testing | Testing Lab | Analytical Procedure | Analytical Technique | ISO 17025 Analysis | Analysis Lab | | |
| Total VOCs (as Carbon) | EN 12619:2013 | CAT-TP-20 | Yes | CAT | Flame Ionisation Detection by Sick 3006 FID | | | | Yes | 0.32 mg/m ³ |
| Velocity & Vol. Flow Rate | EN 16911-1 (MID) | CAT-TP-41 | Yes | CAT | Pitot Tube and Thermocouple | | | | Yes | 1.2 m/s |

ANALYSIS LABORATORIES

(with short name reference as appears in the table above)

| | |
|----------------------|--------------------------------------|
| Exova Catalyst (CAT) | ISO 17025 Accreditation Number: 4279 |
|----------------------|--------------------------------------|

SUMMARY OF SAMPLING DEVIATIONS

| Parameter | Run | Deviation |
|----------------|----------|--|
| All Parameters | All Runs | There are no deviations associated with the sampling employed. |

Executive Summary

(Page 6 of 7)

SUITABILITY OF SAMPLING LOCATION

Duct Characteristics

| Parameter | Units | Value |
|---------------------|----------------|----------|
| Type | - | Circular |
| Depth | m | 0.40 |
| Width | m | - |
| Area | m ² | 0.13 |
| Port Depth | cm | 0 |
| Orientation of Duct | - | Vertical |
| Number of Ports | - | 2 |
| Sample Port Size | - | 2" Hole |

Location of Sampling Platform

| General Platform Information | Value |
|--------------------------------|-----------|
| Permanent / Temporary Platform | Permanent |
| Inside / Outside | Outside |

Platform Details

| EA Technical Guidance Note M1 / EN 15259 Platform Requirements | Value |
|---|-------|
| Sufficient working area to manipulate probe and operate the measuring instruments | Yes |
| Platform has 2 levels of handrails (approx. 0.5m & 1.0m high) | Yes |
| Platform has vertical base boards (approx. 0.25m high) | Yes |
| Platform has chains / self closing gates at top of ladders | Yes |
| There are no obstructions present which hamper insertion of sampling equipment | Yes |
| Safe Access Available | Yes |
| Easy Access Available | Yes |

Sampling Location / Platform Improvement Recommendations

All platforms should be designed in accordance with the requirements in the Environment Agency's Technical Guidance Note M1 and EN 15259.

EN 15259 Homogeneity Test Requirements

There is no requirement to perform a EN 15259 Homogeneity Test on this Stack.

Sampling Plane Validation Criteria (from EN 15259)

| Criteria in EN 15259 | Units | Traverse 1 | Required | Compliant |
|------------------------------|-------|------------|----------|-----------|
| Lowest Differential Pressure | Pa | 45.8 | > 5 Pa | Yes |
| Mean Velocity | m/s | 8.11 | - | - |
| Lowest Gas Velocity | m/s | 7.30 | - | - |
| Highest Gas Velocity | m/s | 9.41 | - | - |
| Ratio of Above | : 1 | 1.29 | < 3 : 1 | Yes |
| Maximum Angle of Swirl | ° | NM | NM | NM |
| No Local Negative Flow | - | Yes | - | Yes |

Where NM = Not Measured as no Isokinetic sampling was performed.

Executive Summary

(Page 7 of 7)

PLANT PHOTOS

Photo 1



Photo 2




Photo 3



Photo 4



SAMPLE POINTS



APPENDICES

APPENDIX CONTENTS

APPENDIX 1 - Stack Emissions Monitoring Personnel, List of Equipment & Methods and Technical Procedures Used

APPENDIX 2 - Summaries, Calculations, Raw Data and Charts

STACK EMISSIONS MONITORING PERSONNEL

| Position | Name | MCERTS Accreditation | MCERTS Number | Technical Endorsements |
|-------------|---------------|----------------------|---------------|------------------------|
| Team Leader | David Burns | MCERTS Level 2 | MM 05 579 | TE1 TE2 TE3 TE4 |
| Trainee | Luke Williams | MCERTS Trainee | MM 18 1496 | None |

LIST OF EQUIPMENT

| Extractive Sampling | | Instrumental Analysers | | Miscellaneous Items | |
|--------------------------|----------------|--------------------------------|----------------|----------------------------------|----------------|
| Equipment Type | Equipment I.D. | Equipment Type | Equipment I.D. | Equipment Type | Equipment I.D. |
| Control Box DGM (1) | - | Horiba PG-350E | - | Digital Manometer (1) | CAT 3.143 |
| Control Box DGM (2) | - | Horiba PG-250 | - | Digital Manometer (2) | CAT 3.145 |
| Box Thermocouples (1) | - | Servomex 4900 | - | Digital Temperature Meter | - |
| Box Thermocouples (2) | - | Eco Physics CLD 822Mh | - | Stopwatch | CAT 14.86 |
| Umbilical (1) | - | ABB AO2020-URAS26 | - | Barometer | CAT 13.41 |
| Umbilical (2) | - | Servomex 5200MP | - | Stack Thermocouple (1) | - |
| Oven Box (1) | - | Ankersmid APS 313 | - | Stack Thermocouple (2) | - |
| Oven Box (2) | - | Gasmex DX4000 | - | Stack Thermocouple (3) | - |
| Heated Probe (1) | - | Gasmex Sampling System | - | 1m Heated Line (1) | - |
| Heated Probe (2) | - | Bernath 3006 FID | CAT 8.32 | 1m Heated Line (2) | - |
| Heated Probe (3) | - | M&C PSS | CAT 12.108 | 1m Heated Line (3) | - |
| S-Pitot (1) | - | Mass Flow Controller (1) | - | 5m Heated Line (1) | - |
| S-Pitot (2) | CAT 21S.56 | Mass Flow Controller (2) | - | 15m Heated Line (1) | - |
| L-Pitot | CAT 21L.41 | Mass View (1) | - | 20m Heated Line (1) | CAT 20.119 |
| Site Balance | - | Mass View (2) | - | 20m Heated Line (2) | - |
| 500g / 1Kg Check Weights | - | Hioki 5043 (V) | CAT 11.70 | Dual Channel Heater Controller | - |
| Last Impinger Arm | - | Easylogger EN-EL-12 Bit | - | Single Channel Heater Controller | CAT 20.119 |
| Callipers | - | Bioaerosols Temperature Logger | - | Laboratory Balance | - |
| Tubes Kit Thermocouple | - | Electronic Refrigerator | - | Tape Measure | CAT 16.49 |

METHODS & TECHNICAL PROCEDURES USED

| Parameter | Standard | Technical Procedure |
|---------------------------|------------------|---------------------|
| Total VOCs (as Carbon) | EN 12619:2013 | CAT-TP-20 |
| Velocity & Vol. Flow Rate | EN 16911-1 (MID) | CAT-TP-41 |

PRELIMINARY STACK SURVEY: CALCULATIONS

General Stack Details

| Stack Details (from Traverse) | Units | Value |
|--|----------------|-------|
| Stack Diameter / Depth, D | m | 0.40 |
| Stack Width, W | m | - |
| Stack Area, A | m ² | 0.13 |
| Average Stack Gas Temperature, T _a | °C | 18.6 |
| Average Stack Gas Pressure | Pa | 57.3 |
| Average Stack Static Pressure, P _{static} | kPa | 0.100 |
| Average Barometric Pressure, P _b | kPa | 99.8 |
| Average Pitot Tube Calibration Coefficient, C _p | - | 0.83 |

Stack Gas Composition & Molecular Weights

| Component | Conc ppm | Conc Dry % v/v | Conc Wet % v/v | Volume Fraction r | Molar Mass M | Density kg/m ³ p | Conc kg/m ³ p _i |
|---|-------------|----------------------|----------------------|-------------------------|--------------------|-----------------------------------|---|
| CO ₂ (Estimated) | - | 0.06 | 0.06 | 0.0006 | 44.01 | 1.9635 | 0.00118 |
| O ₂ (Estimated) | - | 20.80 | 20.59 | 0.2080 | 32.00 | 1.4277 | 0.29696 |
| N ₂ | - | 79.14 | 78.35 | 0.7914 | 28.01 | 1.2498 | 0.98913 |
| Moisture (H ₂ O) (Estimated) | - | - | 1.00 | 0.0100 | 18.02 | 0.8037 | 0.00804 |

NOTE: Moisture has been estimated as no moisture test was performed on the date(s) of testing

Where: $p = M / 22.41$

$p_i = r \times p$

Calculation of Stack Gas Densities

| Determinand | Units | Result |
|--|-------------------|--------|
| Dry Density (STP), P _{STD} | kg/m ³ | 1.287 |
| Wet Density (STP), P _{STW} | kg/m ³ | 1.282 |
| Dry Density (Actual), P _{Actual} | kg/m ³ | 1.189 |
| Average Wet Density (Actual), P _{ActualW} | kg/m ³ | 1.184 |

Where: P_{STD} = sum of component concentrations, kg/m³ (not including water vapour)

P_{STW} = sum of all wet concentrations / 100 x density, kg/m³ (including water vapour)

$P_{Actual} = P_{STD} \times (T_{STP} / (P_{STP})) \times ((P_{static} + P_b) / T_a)$

$P_{ActualW} \text{ (at each sampling point)} = P_{STW} \times (T_s / P_s) \times (P_a / T_a)$

Calculation of Stack Gas Volumetric Flowrate, Q

| Duct gas flow conditions | Units | Actual | REF ¹ |
|--------------------------|-------|--------|------------------|
| Temperature | °C | 18.6 | 0.0 |
| Total Pressure | kPa | 99.9 | 101.3 |
| Moisture | % | 1.00 | 1.00 |

| Gas Volumetric Flowrate (from Traverse) | Units | Result |
|--|--------------------|--------|
| Gas Volumetric Flowrate (Actual) | m ³ /hr | 3671 |
| Gas Volumetric Flowrate (STP, Wet) | m ³ /hr | 3390 |
| Gas Volumetric Flowrate (STP, Dry) | m ³ /hr | 3356 |
| Gas Volumetric Flowrate REF ¹ | m ³ /hr | 3390 |

PRELIMINARY STACK SURVEY: VELOCITY TRAVERSE TO EN 16911-1 (MID)

(1 of 1)

| Parameter | Units | Value |
|---------------------------------|---------------------------------------|---------------|
| Date of Survey | - | 28/01/2019 |
| Time of Survey | - | 10:32 - 10:43 |
| Atmospheric Pressure | kPa | 99.8 |
| Average Stack Static Pressure | Pa | 100 |
| Result of Pitot Stagnation Test | - | Pass |
| Are Water Droplets Present? | - | No |
| Device Used | S-Type Pitot with KIMO MP 210 (500Pa) | |

| Parameter | Units | Value |
|----------------------------|-------|----------|
| Initial Pitot Leak Check | - | Pass |
| Final Pitot Leak Check | - | Pass |
| Orientation of Duct | - | Vertical |
| Pitot Tube, C _p | - | 0.83 |
| Number of Lines Available | - | 2 |
| Number of Lines Used | - | 2 |

| Sampling Line A | | | | | | | Sampling Line B | | | | |
|--------------------|---------|-------|---------|-------------------------------|--------------|---------|-----------------|---------|-------------------------------|--------------|---------|
| Traverse Point | Depth m | ΔP Pa | Temp °C | Wet Density kg/m ³ | Velocity m/s | Swirl ° | ΔP Pa | Temp °C | Wet Density kg/m ³ | Velocity m/s | Swirl ° |
| STATIC (Units: Pa) | | 102.0 | | | | | 98.0 | | | | |
| Mean | | 61.0 | 18.6 | 1.184 | 8.35 | | 53.5 | 18.6 | 1.184 | 7.88 | |
| 1 | 0.06 | 45.8 | 18.7 | 1.184 | 7.30 | | 58.3 | 18.5 | 1.184 | 8.23 | |
| 2 | 0.34 | 76.2 | 18.4 | 1.185 | 9.41 | | 48.7 | 18.6 | 1.184 | 7.52 | |

PRELIMINARY STACK SURVEY: VELOCITY TRAVERSE TO EN 16911-1 (MID) - MEASUREMENT UNCERTAINTY

(1 of 1)

| Performance characteristics (Uncertainty Components) | Uncertainty | Value | Units |
|--|--------------------|---------|--------------------|
| Standard Uncertainty on the coefficient of the Pitot Tube | $u(k)$ | 0.005 | - |
| Standard Uncertainty associated with the mean local dynamic pressures | $u(\Delta p_i)$ | 1.226 | Pa |
| - Resolution | $u(res)$ | 0.00087 | |
| - Calibration | $u(cal)$ | 0.341 | |
| - Drift | $u(drift)$ | 0.083 | |
| - Lack of Fit | $u(fit)$ | 0.077 | |
| - Overall corrections to dynamic measurements | $u(C_f)$ | 0.503 | |
| Standard uncertainty associated with the molar mass of the gas | $u(M)$ | 0.00003 | - |
| - $\phi O_2, w$ | - | 20.592 | |
| - $\phi CO_2, w$ | - | 0.059 | |
| - Oxygen, dry | $u(\phi O_2, d)$ | 0.637 | |
| - Carbon Dioxide, dry | $u(\phi CO_2, d)$ | 0.002 | |
| - Water Vapour | $u(\phi H_2O)$ | 0.051 | |
| - Oxygen, wet | $u(\phi O_2, w)$ | 0.630 | |
| - Carbon Dioxide, wet | $u(\phi CO_2, w)$ | 0.002 | |
| Standard uncertainty associated with the stack temperature | $u(T_c)$ | 1.488 | K |
| Standard uncertainty associated with the absolute pressure in the duct | $u(p_c)$ | 175.694 | Pa |
| - Atmospheric Pressure | $u(p_{atm})$ | 175.692 | |
| - Static Pressure | $u(p_{stat})$ | 0.867 | |
| Standard uncertainty associated with the density in the duct | $u(\rho)$ | 0.00639 | - |
| Standard uncertainty associated with the local velocities | $u(v_i)$ | 0.139 | Pa |
| Standard uncertainty associated with the mean velocity | $u(\underline{v})$ | 0.115 | m/s |
| Standard uncertainty associated with the mean velocity (95% Confidence) | $U_c(v)$ | 0.225 | m/s |
| Standard uncertainty associated with the mean velocity (95% Confidence), relative | $U_{c,rel}(v)$ | 2.77 | % |
| Standard uncertainty associated with the volume flow rate (95% Confidence) | $U_c(qV, w)$ | 194.8 | m ³ /hr |
| - $u^2(a)/a^2$ | - | 0.00053 | |
| - $u^2(qV, w)/q^2V, w$ | - | 0.00073 | |
| - $u^2(qV, w)$ | - | 9882 | |
| - $u(qV, w)$ | - | 99.4 | |
| Standard uncertainty associated with the volume flow rate (95% Confidence), relative | $U_{c,rel}(qV, w)$ | 5.31 | % |

TOTAL VOCs (as CARBON): RESULTS SUMMARY

Xaarjet Ltd , Huntingdon
1 - CR1 Room Extract

Sample Runs

| Parameter | Units | Run 1 | Run 2 | Run 3 | Mean |
|---------------|--------------------|-------|-------|-------|------|
| Concentration | mg/m ³ | 15.9 | 14.6 | 1.6 | 10.7 |
| Uncertainty | ±mg/m ³ | 0.57 | 0.55 | 0.44 | 0.52 |
| Mass Emission | g/hr | 53.7 | 49.4 | 5.5 | 36.2 |
| Uncertainty | ±g/hr | 3.4 | 3.2 | 1.5 | 2.7 |

General Sampling Information

| Parameter | Value |
|----------------------------------|------------------------------------|
| Standard | EN 12619:2013 |
| Technical Procedure | CAT-TP-20 |
| Probe Material | Stainless Steel |
| Filtration Type / Size | 0.1µm Glass Fibre |
| Heated Head Filter Used | Yes |
| Heated Line Temperature | 180°C |
| Span Gas Type | Propane In Synthetic Air (5 Grade) |
| Span Gas Reference Number | CYL 1.0292a |
| Span Gas Expiry Date | 12/09/2021 |
| Span Gas Start Pressure (bar) | 100 |
| Gas Cylinder Concentration (ppm) | 79.9 |
| Span Gas Set Point (ppm) | 79.90 |
| Span Gas Uncertainty (%) | 2 |
| Zero Gas Type | Synthetic Air (5 Grade) |
| Number of Sampling Lines Used | 1 / 1 |
| Number of Sampling Points Used | 1 / 1 |
| Sample Point I.D.'s | C1 |

FORMAT: Number Used / Number Required

FORMAT: Number Used / Number Required

Reference Conditions

Reference Conditions are: 273K, 101.3kPa, without correction for water vapour content.

TOTAL VOCs (as CARBON): DATA TREND

Graphical Trend of Data



TOTAL VOCs (as CARBON): SAMPLING DETAILS & QUALITY ASSURANCE

Sampling Details

| Parameter | Units | Run 1 | Run 2 | Run 3 |
|------------------|-------|---------------|---------------|---------------|
| Sampling Times | - | 10:45 - 11:15 | 11:16 - 11:46 | 11:47 - 12:17 |
| Sampling Dates | - | 28/01/2019 | 28/01/2019 | 28/01/2019 |
| Instrument Range | ppm | 100 | 100 | 100 |
| Span Gas Value | ppm | 79.9 | 79.9 | 79.9 |

Quality Assurance

| | Zero Drift | Units | Run 1 | Run 2 | Run 3 |
|-------|--------------------------------|-------|-------|-------|-------|
| CAL 1 | Zero Down Sampling Line (Pre) | ppm | 0.00 | 0.00 | 0.00 |
| | Zero Down Sampling Line (Post) | ppm | 0.00 | 0.00 | 0.00 |
| | Zero Drift | ppm | 0.00 | 0.00 | 0.00 |
| | Allowable Zero Drift | ± ppm | 4.00 | 4.00 | 4.00 |
| | Zero Drift Acceptable | - | Yes | Yes | Yes |

| | Span Drift | Units | Run 1 | Run 2 | Run 3 |
|-------|--------------------------------|-------|-------|-------|-------|
| CAL 1 | Span Down Sampling Line (Pre) | ppm | 79.90 | 79.90 | 79.90 |
| | Span Down Sampling Line (Post) | ppm | 80.00 | 80.00 | 80.00 |
| | Span Drift | ppm | 0.10 | 0.10 | 0.10 |
| | Allowable Span Drift | ± ppm | 4.00 | 4.00 | 4.00 |
| | Span Drift Acceptable | - | Yes | Yes | Yes |

| Test Conditions | Units | Run 1 | Run 2 | Run 3 |
|-------------------------------|-------|-------|-------|-------|
| Run Ambient Temperature Range | °C | 3 - 4 | 3 - 4 | 3 - 4 |

Method Deviations

| Nature of Deviation (x = deviation applies to the associated run) | Run Number | | |
|--|------------|---|---|
| | 1 | 2 | 3 |
| There are no deviations associated with the sampling employed. | x | x | x |

TOTAL VOCs (as CARBON): MEASUREMENT UNCERTAINTY CALCULATIONS

| Performance characteristics | RUN 1 | RUN 2 | RUN 3 | Units |
|-----------------------------|-------|-------|-------|------------------------------|
| Limit value | 75.0 | 75.0 | 75.0 | mg/m ³ (REF) |
| TGN M2 Allowable MU | 15.0 | 15.0 | 15.0 | % |
| Measured concentration | 16.01 | 14.72 | 1.63 | mg/m ³ (STP, dry) |
| Range Used | 100.0 | 100.0 | 100.0 | ppm |
| Range Used [A] | 160.6 | 160.6 | 160.6 | mg/m ³ |
| Cal gas conc. | 79.9 | 79.9 | 79.9 | ppm |
| Conversion | 1.61 | 1.61 | 1.61 | ppm to mg/m ³ |
| MCERTS Range [B] | 15.0 | 15.0 | 15.0 | mg/m ³ |
| Lower of [A] or [B] | 15.0 | 15.0 | 15.0 | mg/m ³ |
| Cal gas conc. | 128.3 | 128.3 | 128.3 | mg/m ³ |

| Performance characteristics | RUN 1 | RUN 2 | RUN 3 | Units |
|------------------------------------|-------|-------|-------|------------------|
| Response time | 45 | 45 | 45 | seconds |
| Number of readings in measurement | 30 | 30 | 30 | - |
| Repeatability at zero | 2.00 | 2.00 | 2.00 | % full scale |
| Repeatability at span level | 0.00 | 0.00 | 0.00 | % full scale |
| Deviation from linearity | 0.73 | 0.73 | 0.73 | % of value |
| Zero drift | 0.00 | 0.00 | 0.00 | % full scale |
| Span drift | 0.13 | 0.13 | 0.13 | % full scale |
| Volume or pressure flow dependence | 1.60 | 1.60 | 1.60 | % of full scale |
| Atmospheric pressure dependence | 0.30 | 0.30 | 0.30 | % of value/kPa |
| Ambient temperature dependence | 1.40 | 1.40 | 1.40 | % full scale/10K |
| Combined interference | 0.45 | 0.45 | 0.45 | % range |
| Dependence on voltage | 0.50 | 0.50 | 0.50 | % full scale/10V |
| Losses in the line (leak) | 0.00 | 0.00 | 0.00 | % of value |
| Uncertainty of calibration gas | 2.00 | 2.00 | 2.00 | % of value |

| Performance characteristic | RUN 1 | RUN 2 | RUN 3 | Units |
|---|-----------------|-----------------|-----------------|-------------------|
| Standard deviation of repeatability at zero | use rep at span | use rep at span | use rep at span | mg/m ³ |
| Standard deviation of repeatability at span level | 0.00 | 0.00 | 0.00 | mg/m ³ |
| Lack of fit | 0.06 | 0.06 | 0.06 | mg/m ³ |
| Drift | 0.01 | 0.01 | 0.00 | mg/m ³ |
| Volume or pressure flow dependence | 0.00 | 0.00 | 0.00 | mg/m ³ |
| Atmospheric pressure dependence | 0.01 | 0.01 | 0.01 | mg/m ³ |
| Ambient temperature dependence | 0.20 | 0.20 | 0.20 | mg/m ³ |
| Combined interference (from MCERTS Certificate) | 0.04 | 0.04 | 0.04 | mg/m ³ |
| Dependence on voltage | 0.06 | 0.06 | 0.06 | mg/m ³ |
| Losses in the line (leak) | 0.00 | 0.00 | 0.00 | mg/m ³ |
| Uncertainty of calibration gas | 0.18 | 0.17 | 0.02 | mg/m ³ |

| Measurement uncertainty | Result | RUN 1 | RUN 2 | RUN 3 | Units |
|---|----------|-------|-------|-------|-------------------------|
| Combined uncertainty | | 16.01 | 14.72 | 1.63 | mg/m ³ |
| Expanded uncertainty | k = 1.96 | 0.57 | 0.56 | 0.45 | mg/m ³ |
| Uncertainty corrected to std conds. (O ₂) | | 0.57 | 0.56 | 0.45 | mg/m ³ (REF) |

| | RUN 1 | RUN 2 | RUN 3 | Units |
|--|------------------|------------------|------------------|------------|
| Expanded uncertainty (no O ₂) - at 95% Confidence | 3.58 | 3.77 | 27.40 | % of Value |
| Expanded uncertainty (no O ₂) - at 95% Confidence | 0.77 | 0.74 | 0.59 | % at ELV |
| Overall Allowable uncertainty (no O ₂) - at 95% Confidence | 15.0 | 15.0 | 15.0 | % at ELV |
| Result of Compliance with Uncertainty Requirement in M2 | COMPLIANT | COMPLIANT | COMPLIANT | - |

| | RUN 1 | RUN 2 | RUN 3 | Units |
|--|------------|------------|------------|------------|
| Expanded uncertainty (with O ₂) - at 95% Confidence | N/A | N/A | N/A | % of Value |
| Expanded uncertainty (with O ₂) - at 95% Confidence | N/A | N/A | N/A | % at ELV |
| Overall Allowable uncertainty (with O ₂) - at 95% Confidence | N/A | N/A | N/A | % at ELV |
| Result of Compliance with Uncertainty Requirement in M2 | N/A | N/A | N/A | - |

Requirement for SRM is that Uncertainty should be <15% of the value at the ELV, on a dry gas basis, or if O₂ correction is applied less than 15% + the uncertainty associated with the O₂ correction (using sqrt of sum squares to add uncertainty components). Ref EA TGN M2.